

# $\ ^{\circ}_{4}$ $^{\prime\prime}\phi$ Bolts, $^{7}_{8}$ $^{\prime\prime}\phi$ holes in Beam Flange Shim P "t" x 9" x 1'-2" (See Table) Bearina Assembly <sup>l</sup>8'' elastomeric neoprene leveling pad according to the material properties of Article 1052.02(a) of the Standard Specifications. Cost of included with Elastomeric Bearing Assembly Type II. **ELEVATION AT ABUTMENT**





# SECTION A-A


### TYPE II ELASTOMERIC EXP. BRG.


4 - Layers of <sup>3</sup>8'' Elastomer (55 Durometer)














# SIDE RETAINER Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.

#### STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

Diaphragm removal and reinstallation may be required to facilitate drilling holes. Cost included with Furnishing and Erecting Structural Steel.

New steel extensions, shim plates and connection bolts are included with Furnishing and Erecting Structural Steel. Prior to ordering any material, the Contractor shall verify in the field all bearing height and shim thickness dimensions. Min. jack capacity = 40 Tons. Anchor bolts shall be ASTM F1554 all-thread (or an

Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade C anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used in lieu of ASTM F1554.

Anchor bolts for Type II bearings shall be placed in holes drilled through the bottom bearing plate after members are in place. Side retainers shall be placed after bolts are installed.

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.

Side retainers shall be included in the cost of

Elastomeric Bearing Assembly, Type II.

The 'g'' PTFE sheet shall be bonded directly to the top steel plate with a two-component, medium viscosity epoxy resin, conforming to the requirements of the Federal Specification MMM-A-I34, Type I. The bond agent shall be applied on the full area of the contact surfaces.

Bonding of 18" PTFE sheet during vulcanizing process will be permitted provided the process and method of adjusting assembly height is approved by the Engineer.

xistina P to be removed


using the gir-arc method and arind smooth all weld

material remaining on the bottom flange.


Burn existing anchor bolts flush with existing concrete surface. Grind existing anchor bolt smooth and seal with epoxy.


#### BEAM REACTIONS

R₽	(K)	24.0
R4	(K)	38.9
Imp.	(K)	10.0
R (Total)	(K)	72.9



#### PLAN TOP AND BOTTOM PLATE





SECTION B-B


STEEL EXTENSION DETAIL


#### SHIM PLATES

I	SN	Beam	Abut.	"†"					
	026-0009	4	W & E	<sup>9</sup> 16 ′′					
	026-0010	4	W & E	78"					
	026-0010	5	W & E	78"					

#### EXISTING BEARING REMOVAL DETAIL

Cost included with Jack and Remove Existing Bearings.





## BILL OF MATERIAL

Item	Unit	Total
Elastomeric Bearing Assembly Type II	Each	28
Jack and Remove Existing Bearings	Each	28
Furnishing and Erecting Structural Steel	Pound	3700
Anchor Bolts, 1″¢	Each	56

#### ABOVE 50° F. (Move bott. brg. away from fixed brg.) (Move bott. brg. toward fixed brg.)

#### SETTING ANCHOR BOLTS AT EXP. BRG.

 $D = \frac{l_8}{g}$  per each 100' of expansion for every 15° temp. change from the normal temp, of 50°F

### BEARING REPLACEMENT DETAILS FAI RT. 70 SN 026-0009 (EB) & 0010 (WB)

SHEET NO.14	F.A.I. RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
OHEET HOUSE	70	-		FAYETTE	59	59
44 SHEETS				CONTRACT	NO. 94	1993
	FED. RO	AD DIST. NO.	D PROJECT			

\kms\0260009 & 0010.dqn 21-Nev-08 09:09:17

Bonded-

DESIGNED

CHECKED

GGE

Kyle M. Steffen

AJBTYII/REPS 11-01-2006 PASSED